



JUNO
LIGHTING
SYSTEM










MINIMALIST & MODERN DESIGN

The product's minimal design aimed to create a sculptural product rather than a lighting product. The lighting product is approached from a completely different perspective with this minimal design based on natural forms. It is intended that the designer could create the installation of choice. In this way, the lighting product would be independent of interior design and be out of the eclectic design phenomenon; hence, it will support the design or be the design itself. The structure to be created allows the fabrication of different compositions. The products can be assembled without cables in this product group, which has a specially designed 24V or 48V low-voltage line.



STRUCTURE & SCALE

Products can be used on any scale project and provide multi-functionality and freedom. Our products can be applied to various spaces to solve exclusive modeling projects including large-scale projects and small spaces. We can provide further assistance with a comprehensive and all-around solution for lighting system composition.




QUALITY & TECHNOLOGY

Our priority is to produce high-quality products. We create the highest durable lighting quality, which does not require expensive and frequent maintenance. We carefully select the necessary materials and accessories which leads us to use the best electronic components. Especially, all LEDs are strictly selected. Our lamps are equipped with an efficient cooling system, instead of traditional reflectors. We use concentrating optics, and hence personalized and easy-to-use lighting leads to a comfortable emotional state. You can play with the lights and set the desired space background lighting.

SPACE
& LIGHTS






AESTHETICS & ART

The modular light system is made of high-quality alloys, which is simple and convenient to install. It can be directly installed on the ceiling with the developed conductive connection element. It can be customized by mixing and matching with any specific element via these conductive tracks allowing different configurations. The system is made of high-quality alloys. The surface is specially treated to make it easier to resist aging over time. The lamp series includes a variety of different lamp modules that can create different atmospheres.



HARMONY
& STYLE





INFINITE CONFIGURATIONS

The track can be cut off at any point to create a system of any configuration.



CONTROL AS YOU WISH

1. Via DALI protocol;
2. With Philips Smart Light mobile app on your smartphone or smart watch via Bluetooth;
3. With a wall-mounted controller.



LARGE & VERY LARGE RINGS

Warehouse program: 900 mm, 1200 mm. We can manufacture a ring of any diameter upon request.



EASY TO REPOSITION & INSTALL

Luminaires can be installed anywhere on the track and easily repositioned.


NON-FIXED BRACKET

This kind of bracket is suitable for installation at non-fixed points, and the length can be adjusted according to your own needs during home improvement. The default wire hanging length is 2000mm.




JUNO

LT-60.0001





Code	Power Range	Lumen	CRI	Color of Light
LT-60.0001-27-90	5 W	625	Ra>90	2700 K
LT-60.0001-30-90	5 W	690	Ra>90	3000 K

LT-60.0002



Code	Power Range	Lumen	CRI	Color of Light
LT-60.0002-27-90	7 W	725	Ra>90	2700 K
LT-60.0002-30-90	7 W	760	Ra>90	3000 K



LT-60.0003



Code	Power Range	Lumen	CRI	Color of Light
LT-60.0003-27-90	7 W	1050	Ra>90	2700 K
LT-60.0003-30-90	7 W	1085	Ra>90	3000 K


JUNO

LT-60.0004





Code	Power Range	Lumen	CRI	Color of Light
LT-60.0004-27-90	12 W	1050	Ra>90	2700 K
LT-60.0004-30-90	12 W	1085	Ra>90	3000 K

LT-60.0005



Code	Power Range	Lumen	CRI	Color of Light
LT-60.0005-27-90	5 W	625	Ra>90	2700 K
LT-60.0005-30-90	5 W	690	Ra>90	3000 K



LT-60.0006



Code	Power Range	Lumen	CRI	Color of Light
LT-60.0006-27-90	7 W	1050	Ra>90	2700 K
LT-60.0006-30-90	7 W	1085	Ra>90	3000 K


JUNO

LT-60.0007




Code	Power Range	Lumen	CRI	Color of Light
LT-60.0007-27-90	7 W	1050	Ra>90	2700 K
LT-60.0007-30-90	7 W	1085	Ra>90	3000 K

LT-60.0008



Code	Power Range	Lumen	CRI	Color of Light
LT-60.0008-27-90	5 W	625	Ra>90	2700 K
LT-60.0008-30-90	5 W	690	Ra>90	3000 K

LT-60.0009







Code	Power Range	Lumen	CRI	Color of Light
LT-60.0009-27-90	5 W	625	Ra>90	2700 K
LT-60.0009-30-90	5 W	690	Ra>90	3000 K





Juno lightning system is made of 100% brass and adapted the basic concepts of architecture as design principle. Lighting skeleton was created by minimizing the basic carriers that constructs the building structure. No limitations to the size or configuration.










CIRCULAR ORBIT


RAIL POLISHING




Module track light rail

LIGHT POLE

Fixed frame



Fixed frame cover




Length can be made according to requirements


DEFAULT

200mm


Middle cover




Insulated conductive card



Rail fixing groove




lower lid




The quantity needs to be configured according to the length of the guide rail


STANDARD




Standard size \varnothing 600mm



Standard size \varnothing 800mm




Standard size \varnothing 1000mm




Standard size \varnothing 1200mm

EXAMPLES OF INSTALLATIONS


LINE




JUNO LINE 250



JUNO CORNER 160.120




JUNO CROSS LINES 180.160




JUNO CROSS LINES 220.120


RECTANGULAR




JUNO RECTANGULAR 160.80



JUNO RECTANGULAR 400.120




JUNO RECTANGULAR 440.160




JUNO RECTANGULAR 380.180


SQUARE




JUNO SQUARE 160.160



JUNO SQUARE 120.120




JUNO SQUARE 170.170




JUNO SQUARE 220.220


RING




JUNO RING DUO



JUNO RING TRIO







JUNO RING LINE




JUNO RING DUO LINE

JUNO CORNER 160x120




JUNO RECTENGULAR 160x80




X 2

JUNO CON BASE 50




X 4

JUNO CON DUO BASE 50



X 1

JUNO POWER BASE 100



X 3

JUNO CON BASE 100



X 1 - 1600
X 2 - 800
X 2 - 600


JUNO TRACK




X 8

JUNO LT-60.0004



JUNO RECTANGULAR 380x180




JUNO POWER BASE 100



JUNO CON DUO BASE 50




JUNO TRACK




JUNO LT-60.0004

JUNO SQUARE 220x220





X 2

JUNO POWER BASE 100




X 24

JUNO CON DUO BASE 50




JUNO TRACK




JUNO LT-60.0004


JUNO RING LINE




JUNO RING DUO









NASA Elektrik Aydınlatma Ticaret ve Sanayi Ltd. Şti.

Head Office:

Okçumusa Cad. No: 10/B
Karaköy-İstanbul / Türkiye
Tel: +90 212 256 12 18
Faks: +90 212 235 18 67
info@nasa.com.tr

Factory:

Velimeşe Organize Sanayi Bölgesi
Ak Bayır Cad. No:113/1 Ergene
Tekirdağ / Türkiye
Tel: +90 282 674 41 45 - 46
www.nasa.com.tr



info@trelucelight.com
www.trelucelight.com

nasa
aydinlatma